

DEPEND ON
DAVEY

WATER PRODUCTS



DAVEY
EcoSalt™
MONARCH SERIES

Reverse Polarity Salt Water Chlorinators

The economical, simple and compact answer to automatic pool sanitising for safe and sparkling pool water.

- EziSet digital timer for quick and simple set-up
- User-friendly settings and controls
- Safe automatic pool sanitising using natural salt
- Reverse polarity electrolytic cell for low maintenance
- Easy automation of your pool's filtration system
- Compact enclosure and cell housing made with corrosion resistant, UV stabilised materials for long service life
- Barrel union connections for easy installation
- Proven technology and outstanding reliability
- **Operating Salt Level: 4500 – 6000ppm**



For your local Davey dealer visit: davey.com.au

Reverse Polarity Salt Water Chlorinators



- Simple to use **EziSet** digital timer and controls. Easy to set & operate
- Strong & durable, UV stabilised enclosure with compact design
- Hinged, self-closing door protects control panel from the elements
- Reverse polarity cell with with barrel unions for low maintenance and easy installation

ELECTRICAL DATA (All models)	
Voltage (V)	220-250
Phase	1
Supply Frequency (Hz)	50
Enclosure Class (IP)	33
Approval No.	W/2333

CHLORINE OUTPUT					
Model	Chlorine Gas Production g/hr (100%)	Calcium Hypochlorite Equivalent g/hr (65%)	Maximum Pool Size (litres)		
			Cool Climate	Temperate Climate	Hot / Tropical Climate
MES13C	13	20	65,000	40,000	28,000
MES20C*	20	31	100,000	62,000	44,000
MES26C	26	40	130,000	81,000	57,000

*MES20C also available in Above Ground Pool version with lower required salt level.

DIMENSIONS (mm) All models									
Controller				Cell Housing					
Height	Width	Depth	Mounting holes	Height	Width	Diameter	Inlet	Outlet	Plumbing holes
312	235	130	66 (centre to centre)	105	270	80	50	50	190 (centre to centre)

IMPORTANT NOTES:

1. In 'hard water' applications (above 275ppm), reverse polarity systems will require regular (monthly) inspection and manual cleaning.
2. The appropriate chlorinator size for your pool is dependent on the local climate and the bather load of the pool. Please note that chlorinator cell life can be increased with shorter running times during winter and lower output settings. Davey recommends that a chlorinator is run for between 6 - 8 hours a day during summer, and between 2 - 4 hours during winter.



Davey Water Products Pty Ltd
 Member of the GUD Group
 ABN 18 066 327 517

AUSTRALIA
Head Office and Manufacturing
 6 Lakeview Drive,
 Scoresby, Australia 3179
 Ph: +61 3 9730 9222
 Fax: +61 3 9753 4100
 Website: davey.com.au

Customer Service Centre
 Ph: 1300 369 100
 Fax: 1300 369 119
 E-mail: sales@davey.com.au

NEW ZEALAND
 7 Rockridge Avenue,
 Penrose, Auckland 1061
 Ph: +64 9 570 9135
 Fax: +64 9 527 7654
 E-mail: sales@daveynz.co.nz
 Website: daveynz.co.nz

Customer Service Centre
 Ph: 0800 654 333

REST OF WORLD
 6 Lakeview Drive,
 Scoresby, Australia 3179
 Ph: +61 3 9730 9121
 Fax: +61 3 9753 4248
 E-mail: export@davey.com.au
 Website: davey.com.au



PS203-4/10K/0811/IPM supersedes PS203-3/7K/0910/IPM